





No. Z2 016936 0090 Rev. 00

Holder of Certificate: smb Seilspielgeräte GmbH

Berlin in Hoppegarten

Technikerstraße 6/8 15366 Hoppegarten

GERMANY

Certification Mark:



Playground equipment **Product: Climbing elements**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 028-713330869

Valid until: 2030-02-11

Date, 2025-02-17

(Jens Biesenack)



No. Z2 016936 0090 Rev. 00

Model(s): Play and climbing system Adventure Park

7219048, 7220050, 7220051, 7218050, 7218051, 7218030, 7218031, 7218032, 7218029, 7218052, 7218010, 7218011, 7218012, 7218013, 7218014, 7218015, 7218016, 7218017, 7218019, 7218020, 7218021, 7218022, 7218023, 7218024, 7218025, 7218026, 7218027, 7218053, 7218054, 7218055, 7218056, 7218057, 7218058, 7218059, 7218065, 7218066,

7221000, 72210001F, 7218067, 7218068

Parameters:

Adventure Park Bambino Variant 9 Art-No.: 7219048 Length: 9853 mm, Width 6721 mm, Height 1717

Adventure Park Junior Variant 10 Art-No.: 7220050 Length: 19160 mm, Width 8677 mm, Height 2017

Adventure Park Junior Variant 11 Art-No.: 7220051 Length: 15268 mm, width 6419 mm, height 2017

Consisting of the following support posts/platforms:

Slackline post, item no.: 7221000

Ø 168.3 x 6.3 mm Height: 1.0 m

For attaching individual slacklines

Slackline post with welded-on flange,

Item no.: 72210001F Ø 168.3 x 6.3 mm Height: 1.0 m

For attaching individual slacklines

Support post vario, item no.: 7218067

Ø 168.3 x 6.3 mm

Total height from play level: variable from 2.0 - 4.5 m

Connection height from play level: max. 1.9 m

mega beetle, Art.-No. 7218068 platform Ø 1.03 m height: 0.2 – 0.6 m

Support post big, Art.-No.: 7218050

Ø 168.3 x 6.3 mm height: 2.05 m

Support post small, Art.-No.: 7218051

Ø 168.3 x 6.3 mm height: 1.75 m

Small beetle, Art.-No.: 7218030

platform Ø 0.27 m height: 0.2 – 0.6 m





No. Z2 016936 0090 Rev. 00

Big beetle, Art.-No.: 7218031 platform Ø 0.48 m height: 0.2 - 0.6 m

Climbing tree, Art.-No.: 7218032

height: 3.05 m

max. free drop height: 2.80 m

Plateau plate, Art.-No.: 7218029 for fixing at support post, connection options: 1-4, max. free drop height: 0.60 m

Plateau platform, Art.-No.: 7218052

platform Ø 0.48 m connection options: 1-6,

height: 0.40 m

Additional elements for connecting to the support posts / platforms

Liana bridge, Art.-No.: 7218010

at 2 support posts,

distance between posts: up to 5.0 m

free drop height: 0.55 m

Centipede, Art.-No.: 7218011

at 2 support posts,

distance between posts: up to 5.0 m

free drop height: 0.55 m

Flea ladder, Art.-No.: 7218012

at 2 support posts,

distance between posts: up to 5.0 m

free drop height: 1.80 m

Monkey swing, Art.-No.: 7218013

at 2 support posts,

distance between posts: up to 5.0 m

free drop height: 1.80 m

Jungle bridge, Art.-No.: 7218014

at 2 support posts,

distance between posts: up to 5.0 m

free drop height: 0.55 m

Liana park, Art.-No.: 7218015

at 2 support posts,

with rubber plates at the vertical ropes, distance between posts: up to 5.0 m

free drop height: 0.55 m

Floating bridge, Art.-No.: 7218016

at 2 support posts,

with plateau plates and ropeway distance between posts: up to 5.0 m

free drop height: 0.55 m

Page 3 of 5



No. Z2 016936 0090 Rev. 00

Spider web, Art.-No.: 7218017

at 3 support posts,

distance between posts: 3.0/3.0/3.0 m

free drop height: 1.80 m

Raindrops, Art.-No.: 7218019

at 2 support posts,

distance between posts: up to 5.0 m

free drop height: 1.80 m

Bamboo net, Art.-No.: 7218020

at 2 support posts.

distance between posts: up to 5.0 m

free drop height: 0.55 m

Air cave, Art.-No.: 7218021

at 4 support posts,

distance between posts: 1.40 x 3.0 m

free drop height: 1.80 m

Crazy jungle, Art.-No.: 7218022

at 2 support posts,

distance between posts: 4.0 m

free drop height: 1.80 m

Climbing wall, Art.-No.: 7218023

at 2 support posts,

climbing wall: 2.76 x 1.27 m distance between posts: 3.0 m

free drop height: 1.80 m

Spider cave, Art.-No.: 7218024

at 3 support posts,

distance between posts: 3.0/3.0/3.0 m

free drop height: 1.80 m

Jungle house, Art.-No.: 7218025

at 4 support posts,

distance between posts: 3.0 x 3.0 m

free drop height: 1.80 m

Lianennetz, Art.-No.: 7218026

at 2 support posts,

distance between posts: 1.40 m

free drop height: 1.0 m

Twister, Art.-No.: 7218027

at 3 support posts,

distance between posts: 1.40 x 3.0 m

free drop height: 1.80 m

Jungle lounge, Art.-No.: 7218053

at 3 support posts,

distance between posts: 3.0/3.0/3.0 m

free drop height: 1.80 m

Page 4 of 5

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®



No. Z2 016936 0090 Rev. 00

Orchid leaf, Art.-No.: 7218054

at 3 support posts,

distance between posts: 3.0/3.0/3.0 m

free drop height: 1.80 m

Clamberer, Art.-No.: 7218055

at 2 support posts,

distance between posts: 1.50 m

mounting height: 1.30 m

Snake swing, Art.-No.: 7218056

at 2 support posts,

distance between posts: up to 5.0 m

free drop height: 1.80 m

Tiger trail, Art.-No.: 7218057

at 4 support posts,

distance between posts: up to 5.0 m

free drop height: 1.80 m

Gecko net, item no.: 7218058

On 3 support posts

Post spacing: 3.0/3.0/3.0 m Max. Drop height: 1.80 m

Climbing air net, art. no.: 7218059

On 3 support posts

Post spacing: 3.0/3.0/3.0 m Max. Drop height: 1.80 m

Small spear blade, art. no.: 7218065

On 3 support posts

Post spacing: 2.0/2.0/2.0 m Max. Drop height: 1.80 m

Lemur house, item no.: 7218066

Incl. 4 support posts, 6 horizontal tubes, 16 vertical ropes and 11 PUR membranes

Post spacing: 1.76/2.0 m

Max. drop height 2.63 m

Tested according to:

EN 1176-1:2017 EN 1176-11:2014